D12-101

NEW SNOWCO® UTILITY TRAILERS

The finest trailers made for transporting and demonstrating small wheeled equipment!

Ruggedly built to meet Snowco's high standards—with these modern FEATURES:



New non-skid integral traction areas of advanced design.

STEEL PLATFORM DECK
Heavy-duty steel deck built to take any kind of abuse. Two large integral traction areas speed equipment loading.

TILT BED
Loads in seconds! Entire trailer bed tilts, with the beveled back edge fitting snugly against the ground.

RECTANGULAR BOX FRAME
Rugged 2" x 3" box frame gives solid support for up to 1,500 pound loads.

2 TAIL LIGHTS
Stop and directional features insure complete road safety. Wiring harness includes "pigtail" for auto.

REMOVABLE FRONT SHIELD—
Strong 8" high front shield can be removed if loads require.



TWO-TONE COLOR COMBINATION
Modern Pearl Gray and Foam Green finish will stay good looking through years of service.

AUTOMOTIVE TYPE SEMI-ELLIPTICAL SPRINGS
Found only on the finest trailers. Absorb road shock —prevent equipment damage.

ADJUSTABLE AXLE
Can be easily adjusted for proper weight distribution and perfect trailing.

HITCH
Ball and socket type hitch with dual safety chains. For use with 1⅞" ball.

For fast and easy handling of all kinds of small wheeled equipment, no other trailer on the market can match the performance and built-in dependability of a Snowco Utility Trailer.

Snowco's extra wide, extra long decks provide plenty of room for hauling lawn and garden tractors, golf carts, riding mowers, motorcycles, snow vehicles, portable kennels—in fact, **any** equipment that needs to be picked up, transported or delivered.

Loading is as easy as one-two-three. Just tilt the Trailer bed . . . load the equipment . . . and drive off! There's plenty of room for auxillary equipment. Loaded or unloaded, a Snowco Trailer can be towed at all legal highway speeds.

AVAILABLE IN
TWO BASIC MODELS
—With Choice of Load Capacities!

FIVE TRAILERS FROM WHICH TO CHOOSE!

SERIES 46 For handling smaller equipment 46" x 111" deck size. Available in two models: Model 946 with 900 lb. capacity and Model 1146 with 1100 lb. capacity.

SERIES 52 For handling larger equipment. Big 52" x 130" deck size. Available in three models: Model 952 with 900 lb. capacity and Model 1152 with 1100 lb. capacity, and Model 1552 and 1500 lb. capacity

THE SNOW COMPANY **4350 McKinley St. Omaha, Nebraska 68112**

SNOWCO SERIES 46

UTILITY TRAILERS • *Models 946 and 1146*

A strong and highly maneuverable trailer for transporting equipment such as mowers, motorcycles, garden tractors, and smaller golf carts.

FEATURES (Both Models)

— Adjustable axle for proper weight distribution
— Tilt-bed for easy loading and unloading
— Two tail lights with stop and directional features
— Pearl Gray and Foam Green finish with zinc-plated unpainted parts
— Automotive type semi-elliptical springs
— Two full-length traction strips (smooth, solid deck available on special order)
— Four sturdy tie-down hooks



MODEL 946 ILLUSTRATED

CHOCK-TYPE SHIELD OPTIONAL



Tilt-bed and beveled back edge permit the loading or unloading of self-powered units in seconds. Optional Snowco Winch with 6-1 ratio adds extra ease and safety to handling.

Whether transporting garden tractors or smaller golf carts, there's still plenty of load space left on a Snowco Series 46 Trailer for auxiliary equipment.

SPECIFICATIONS

MODEL 946

- Steel platform deck; 46″ x 111″.
- Height, from ground to deck; 18″.
- Rectangular box frame; 2″ x 3″.
- Ball and socket type hitch for use with 1⅞″ ball; dual safety chains; 3″ x 3″ tongue.
- Removable front shield; 8″ high. Model 946 GC has chock-type shield
- Rated load capacity; 900 lbs.
- Tires and wheels; 4.80 x 8 (4-ply).
- Wheel tread; 54″.
- Overall length; 13′. Overall width; 5′1″.
- Weight; 300 lbs.

MODEL 1146

- Steel platform deck; 46″ x 111″.
- Height, from ground to deck; 20″.
- Rectangular box frame; 2″ x 3″.
- Ball and socket type hitch for use with 1⅞″ ball; dual safety chains; 3″ x 3″ tongue.
- Removable front shield; 8″ high. Model 1146 GC has chock-type shield
- Rated load capacity; 1,100 lbs.
- Tires and wheels; 5.70 x 8 (4-ply).
- Wheel tread; 54″.
- Overall length; 13′. Overall width; 5′1″.
- Weight; 310 lbs.
- Heavy-duty springs and fenders.

SEE BACK PAGE FOR OPTIONAL ACCESSORIES

SNOWCO® SERIES 52

UTILITY TRAILERS • *Models 952, 1152 & 1552*

Put an end to pick-up and delivery problems with Snowco Series 52 Trailers. Greater deck size accommodates large golf carts, riding mowers, garden tractors and attachments, etc.

FEATURES (Both Models)

All the outstanding features for Snowco's Series 46 Utility Trailers are also found on the larger Series 52.

MODEL 1152 GC ILLUSTRATED



8″ HIGH
REMOVABLE FRONT SHIELD
OPTIONAL

Sales demonstrations? They're a snap with a Snowco Series 52 Utility Trailer! Just tilt the bed back . . . load any equipment—from heavy garden tractors to large golf carts—in seconds!

Adjustable axle assures proper weight distribution—adding miles of extra easy towing. Loaded or unloaded, a Snowco Trailer can be towed at legal highway speeds.

SPECIFICATIONS

MODEL 952

- Steel platform deck; 52″ x 130″.
- Height, from ground to deck; 18″.
- Rectangular box frame; 2″ x 3″.
- Ball and socket type hitch for use with 1⅞″ ball; dual safety chains; 3″ x 3″ tongue.
- Removable front shield; 8″ high. Model 952 GC has chock-type shield
- Rated load capacity; 900 lbs.
- Tires and wheels; 4.80 x 8 (4-ply).
- Wheel tread; 60″.
- Overall length; 14′7″. Overall width; 5′7″.
- Weight; 350 lbs.

MODEL 1152 & 1552

- Steel platform deck; 52″ x 130″.
- Height, from ground to deck; 20″. Model 1552 is 22″.
- Rectangular box frame; 2″ x 3″.
- Ball and socket type hitch for use with 1⅞″ ball; dual safety chains; 3″ x 3″ tongue.
- Removable front shield; 8″ high. Model 1152 GC has chock-type shield.
- Rated load capacity; Model 1152, 1,100 lbs. cap.
  Model 1552 1,500 lbs. cap.
- Tires and wheels; Model 1152, 5.70 x 8 (4-ply)
  Model 1552, 5.30 x 12 (4-ply)
- Wheel tread; 60″.
- Overall length; 14′7″. Overall width; 5′7″.
- Weight; Model 1152; 365 lbs. Model 1552, 380 lbs.
- Heavy-duty springs and fenders.

SEE BACK PAGE FOR OPTIONAL ACCESSORIES

A C C E S S O R I E S

These optional accessories are for use with all models



SPARE WHEEL

Includes tire, tube, and wheel.
Part #21-305 4.80 x 8 (4-ply).
Part #21-308 5.70 x 8 (4-ply).
Part #21-361 5.30 x 12 (4-ply).



WINCH ASSEMBLY

Powerful winch with 6-1 ratio and steel cable speeds equipment loading. Part #21-323. Part #21-324 for Golfster.

HUB CAPS

Chrome-plated hub caps add that extra touch of beauty to Trailer. Part #21-425 (8″ wheel) #21-525 (12″ wheel).

RETRACTABLE TONGUE STAND WITH WHEEL

Keeps Trailer ready to attach to automobile. Perfect for standing displays.
Part #21-360.

TONGUE JACK WITH WHEEL

Easily operated tongue jack raises even a fully loaded Trailer in just seconds.
Part #21-390.

(Not Illustrated)

21-385 Stake Pocket (Specify Qty.)

21-309 Spare Tire Mtg. Bracket

All Snowco Trailers are built to meet The Snow Company's exacting standards. With only a minimum amount of attention they will provide the purchaser with years of trouble-free service. Every Trailer is backed by a Snow Company warranty—assuring the purchaser of quality craftsmanship throughout.

Snowco Trailers may be purchased through the Dealer listed below.

WARRANTY

The performance, workmanship and material of these products are unconditionally guaranteed for 120 days when used for the purpose and under the conditions for which designed. The manufacturer will replace free any part found to be defective upon examination when such part is returned to manufacturer transportation prepaid.

THE SNOW COMPANY

4350 McKinley St. Omaha, Nebraska 68112

SOLD BY

Form 20014 1-65

Printed in U.S.A.